



CSCI 340: Computational Models

# Regular Expressions

Chapter 4

Department of Computer Science

# Yet Another New Method for Defining Languages

Given the Language:

$$L_1 = \{x^n \text{ for } n = 1 \ 2 \ 3 \ \dots\}$$

We could easily change the sequence for  $n$ :

$$L_2 = \{x^n \text{ for } n = 1 \ 3 \ 5 \ 7 \ \dots\}$$

But if we change the sequence for  $n$  it can be difficult:

$$L_3 = \{x^n \text{ for } n = 1 \ 4 \ 9 \ 16 \ \dots\}$$

Or just unwieldy / non-definitive:

$$L_3 = \{x^n \text{ for } n = 3 \ 4 \ 8 \ 22 \ \dots\}$$

We need a notation for something **more precise than the ellipsis**

## Reappearance of Kleene Star

Reconsider the language from Chapter 2:

$$L_4 = \{\lambda \ x \ xx \ xxx \ xxxx \ \dots\}$$

We presented one method for indicating this set as a closure:

$$\text{Let } S = \{x\}. \text{ Then } L_4 = S^*$$

Or in shorthand:

$$L_4 = \{x\}^*$$

Let's now introduce a Kleene star applied to a letter rather than a set:

$$x^*$$

We can think of the star as an unknown or undetermined power.

# Defining Languages

- We should not confuse  $\mathbf{x}^*$  with  $L_4$  as they are not equivalent
- $L_4$  is semantically a language,  $\mathbf{x}^*$  is a language defining symbol
- We can define a language as follows:  $L_4 = \text{language}(\mathbf{x}^*)$

## Example

$$\Sigma = \{a b\}$$

$$L = \{a ab abb abbb abbbb \dots\}$$

$$L = \text{language}(\mathbf{a b}^*)$$

$$L = \text{language}(\mathbf{ab}^*)$$

Note: the Kleene star is applied to the letter immediately preceding

# Applying Kleene Star to an Entire String

- Closure to entire substrings requires forced precedence
- We can accomplish this by grouping with parentheses
- For example:  $(\mathbf{ab})^*$  =  $\lambda$  or  $ab$  or  $abab$  or  $ababab\dots$

We can also use  $+$  to represent one-or-more

## Theorem

$$\mathbf{xx}^* = \mathbf{x}^+$$

## Proof.

$$L_1 = \text{language}(\mathbf{xx}^*) \quad L_2 = \text{language}(\mathbf{x}^+)$$

$$\text{language}(\mathbf{x}^*) = \lambda \quad x \quad xx \quad xxx \quad \dots$$

$$\text{language}(\mathbf{x} \mathbf{x}^*) = x\lambda \quad xx \quad xxx \quad xxxx \quad \dots$$

$$\text{language}(\mathbf{xx}^*) = x \quad xx \quad xxx \quad xxxx \quad \dots$$

$$\text{language}(\mathbf{xx}^*) = \text{language}(\mathbf{x}^+) = x \quad xx \quad xxx \quad xxxx \quad \dots \quad \square$$

# Language Examples

## Example

The language  $L_1$  can be defined by any of the expressions below:

$xx^*$      $x^+$      $xx^*x^*$      $x^*xx^*$      $x^+x^*$      $x^*x^*x^*xx^*$

Remember:  $x^*$  can always be  $\lambda$

## Example

The language defined by the expression

$ab^*a$

is the set of all strings of  $a$ 's and  $b$ 's that have at least two letters that

- 1 start and end with  $a$
- 2 only have  $b$ 's in between

# Language Examples

## Example

The language of the expression

$$\mathbf{a^*b^*}$$

contains all of the strings of  $a$ 's and  $b$ 's in which all the  $a$ 's (if any) come before all the  $b$ 's (if any)

$$\text{language}(\mathbf{a^*b^*}) = \{\lambda \ a \ b \ aa \ ab \ bb \ aaa \ aab \ abb \ bbb \ aaaa \ \dots\}$$

## Note

It is *very* important to note that

$$\mathbf{a^*b^*} \neq (\mathbf{ab})^*$$

# Language Examples

## Example

Consider the language  $T$  defined over the alphabet  $\Sigma = \{a \ b \ c\}$

$$T = \{a \ c \ ab \ cb \ abb \ cbb \ abbb \ cbbb \ abbbb \ cbbbb \ \dots\}$$

We may formally define the language as follows:

$$T = \text{language}((\mathbf{a + c})\mathbf{b}^*)$$

Or in English as:

$$T = \text{language}(\text{either } a \text{ or } c \text{ followed by some } b\text{'s})$$

**Note:** parens force precedence change: *selection* before *concatenation*



# Language Examples

## Example

Consider the language  $L$  defined over the alphabet  $\Sigma = \{a\ b\}$

$$L = \{aaa\ aab\ aba\ abb\ baa\ bab\ bba\ bbb\}$$

- What is the pattern?
- How can we write a language expression for this?
- How can we generalize this?
- How can we represent “choose any single character” from  $\Sigma$ ?

# Regular Expressions

*Regular Language* — a language which can be expressed as a regular expression

## Definition for Regular Expression

- 1 Every letter of  $\Sigma$  can be made into a regular expression.  $\lambda$  is a regular expression.
- 2 If  $r_1$  and  $r_2$  are regular expressions, then so are:
  - i  $(r_1)$
  - ii  $r_1 r_2$
  - iii  $r_1 + r_2$
  - iv  $(r_1^*)$
- 3 Nothing else is a regular expression

**Note:** we could add  $r_1^+$  but we can rewrite it as  $r_1 r_1^*$

# Defining Some Regular Expressions

## Chalkboard Problems

- ① All words that begin with an  $a$  and end with a  $b$
- ② All words that contain exactly two  $a$ 's
- ③ All words that contain exactly two  $a$ 's and start with  $b$
- ④ All words that contain two or more  $a$ 's
- ⑤ All words that contain two or more  $a$ 's that end in  $b$
- ⑥ All words of length 3 or higher which contain two  $a$ 's in a row

## A More Complicated Example

Language of all words that have at least one  $a$  and one  $b$

$$(a + b)^* a(a + b)^* b(a + b)^*$$

which can also be expressed as

$$\langle \text{arbitrary} \rangle a \langle \text{arbitrary} \rangle b \langle \text{arbitrary} \rangle$$

This mandates that  $a$  must be found before  $b$ .

The unhandled case can be matched with:

$$bb^*aa^*$$

One of these must be true for our expression to be matched:

$$(a + b)^* a(a + b)^* b(a + b)^* + bb^*aa^*$$

# Confusing Equivalences

Consider from the last slide

$$(a + b)^* a(a + b)^* b(a + b)^* + bb^* aa^*$$

If we wanted to include strings of all  $a$ 's or  $b$ 's we would use:

$$a^* + b^*$$

This would mean that we could define a regular expression which accepts any sequence of  $a$ 's and  $b$ 's:

$$(a + b)^* a(a + b)^* b(a + b)^* + bb^* aa^* + a^* + b^*$$

but this is simply just

$$(a + b)^*$$

These are not obviously equivalent

# Algebraic Equivalence Need Not Apply

## An Analysis of $(a + b)^*$

$$(a + b)^* = (a + b)^* + (a + b)^*$$

$$(a + b)^* = (a + b)^*(a + b)^*$$

$$(a + b)^* = a(a + b)^* + b(a + b)^* + \lambda$$

$$(a + b)^* = (a + b)^*ab(a + b)^* + b^*a^*$$

All of these are equal — O\_o

## Some Algebra Works!

Let  $V$  be the language of all strings of  $a$ 's and  $b$ 's in which the strings are either all  $b$ 's or else there is an  $a$  followed by some  $b$ 's. Let  $V$  also contain the word  $\lambda$ .

$$V = \{\lambda \ a \ b \ ab \ bb \ abb \ bbb \ abbb \ bbbb \ \dots\}$$

We can then define  $V$  by the expression:

$$\mathbf{b}^* + \mathbf{ab}^*$$

Where  $\lambda$  is embedded into the term  $\mathbf{b}^*$ . Alternatively, we could define  $V$  by the expression

$$(\lambda + \mathbf{a})\mathbf{b}^*$$

This gives us an *option* of having a  $a$  or nothing! Since we could always write  $\mathbf{b}^* = \lambda\mathbf{b}^*$ , we demonstrate the distributive property

$$\lambda\mathbf{b}^* + \mathbf{ab}^* = (\lambda + \mathbf{a})\mathbf{b}^*$$

# Concatenation

## Definition

If  $S$  and  $T$  are sets of strings of letters (whether they are finite or infinite sets), we define the product set of strings of letters to be

$ST = \{ \text{all combinations of all string } S \text{ followed with a string from } T \}$

## Example

$$S = \{a \quad aa \quad aaa\} \quad T = \{bb \quad bbb\}$$

$$ST = \{abb \quad abbb \quad aabb \quad aabbb \quad aaabb \quad aaabbb\}$$

## Rewritten as a Regular Expression

$$(a + aa + aaa)(bb + bbb)$$

=

$$abb + abbb + aabb + aabbb + aaabb + aaabbb$$



# Concatenation

## Definition

If  $S$  and  $T$  are sets of strings of letters (whether they are finite or infinite sets), we define the product set of strings of letters to be

$ST = \{ \text{all combinations of all string } S \text{ followed with a string from } T \}$

## Example

$$S = \{a \quad bb \quad bab\} \quad T = \{a \quad ab\}$$

$$ST = \{aa \quad aab \quad bba \quad bbab \quad baba \quad babab\}$$

## Rewritten as a Regular Expression

$$(a + bb + bab)(a + ab)$$

=

$$aa + aab + bba + bbab + baba + babab$$

# Concatenation

What are the regular expressions for the concatenation of the two sets in each example? Give both the simple and “distributed” forms

## Example

$$P = \{a \ bb \ bab\}$$

$$Q = \{\lambda \ bbbb\}$$

## Example

$$M = \{\lambda \ x \ xx\}$$

$$N = \{\lambda \ y \ yy \ yyy \ yyyy \ \dots\}$$

# Associating a Language with Every RE

The rules below define the **language associated** with any RE

- 1 The language associated with the regular expression that is just a single letter is that one-letter word alone and the language associated with  $\lambda$  is just  $\{\lambda\}$ , a one-word language
- 2 If  $r_1$  is a regular expression associated with language  $L_1$  and  $r_2$  is a regular expression associated with the language  $L_2$  then
  - i RE  $(r_1)(r_2)$  is associated with  $L_1 \times L_2$

$$\text{language}(r_1 r_2) = L_1 L_2$$

- ii RE  $r_1 + r_2$  is associated with  $L_1 \cup L_2$

$$\text{language}(r_1 + r_2) = L_1 + L_2$$

- iii RE  $r_1^*$  is  $L_1^*$  (the Kleene closure)

$$\text{language}(r_1^*) = L_1^*$$

# Expressing a Finite Language as RE

## Theorem

*If  $L$  is a finite language (a language with only finitely many words), then  $L$  can be defined by a regular expression*

## Proof.

To make one RE that defines the language  $L$ , turn all the words in  $L$  into **boldface** type and stick pluses between them. Violá. For example, the RE defining the language

$$L = \{aa \ ab \ ba \ bb\}$$

is

$$\mathbf{aa + ab + ba + bb} \quad \text{OR} \quad (\mathbf{a + b})(\mathbf{a + b})$$

The reason this “trick” only works for *finite* languages is that an infinite language would yield an infinitely-long regular expression (which is forbidden) □

# EVEN-EVEN

$$E = [\mathbf{aa} + \mathbf{bb} + (\mathbf{ab} + \mathbf{ba})(\mathbf{aa} + \mathbf{bb})^*(\mathbf{ab} + \mathbf{ba})]$$

This regular expression represents the collection of all words that are made up of “syllables” of three types:

$$\text{type}_1 = \mathbf{aa}$$

$$\text{type}_2 = \mathbf{bb}$$

$$\text{type}_3 = (\mathbf{ab} + \mathbf{ba})(\mathbf{aa} + \mathbf{bb})^*(\mathbf{ab} + \mathbf{ba})$$

$$E = [\text{type}_1 + \text{type}_2 + \text{type}_3]$$

## Question 1

What does this Regular Expression “do” ?

## Question 2

What are the first 12 strings matched by this RE?

## Homework 2a

- For each of the problems below, give a regular expression which only accepts the following. Assume  $\Sigma = \{a, b\}$ 
  - All strings that begin and end with the same letter
  - All strings in which the total number of  $a$ 's is divisible by 3
  - All strings that end in a double letter
- Show the following pairs of regular expressions define the same language
  - $(ab)^*a$  and  $a(ba)^*$
  - $(a^*bbb)^*a^*$  and  $a^*(bbba^*)^*$
- Describe (in English phrases) the languages associated with the following regular expressions
  - $(a + b)^*a(\lambda + bbbb)$
  - $(a(aa)^*b(bb)^*)^*$
  - $((a + b)a)^*$